

Listing of Claims. This Listing of Claims replaces all prior versions and listings of Claims in the application.

1 1. (Currently Amended) A gun rack for holding a firearm including a
2 stock and a barrel, the stock including a butt portion, the gun rack comprising:
3 a stock support assembly including a butt support member, the butt portion of
4 the firearm positionable in and supportable by the butt support member;
5 at least one side stock support member, connected to and extending from the
6 butt support member, the side stock support member including an aperture located
7 near a distal end of the side stock support member, the aperture adapted to permit
8 insertion of a lock through the aperture; and
9 a barrel support assembly including a barrel clip for grasping placement about
10 an outer perimeter of a barrel of the firearm.

1 2. (Cancelled) The gun rack of Claim 1 wherein the stock support
2 assembly further comprises at least one side stock support member connected to
3 and extending from the butt support member.

1 3. (Cancelled) The gun rack of Claim 2 wherein the side stock support
2 member further comprises an aperture located near a distal end of the side stock
3 support member, a lock securable through the aperture and a trigger guard of the
4 firearm for securing the firearm to the stock support assembly.

1 4. (Currently Amended) The gun rack of Claim 2 1 wherein the side
2 ~~stock support member~~ aperture further comprises an oblong aperture located near a
3 distal end of the side stock support member, a lock securable through the aperture
4 and a trigger guard of the firearm for securing the firearm to the stock support
5 assembly.

1 5. (Original) The gun rack of Claim 1 further comprising:
2 a first mounting bracket, the stock support member pivotally mounted to the
3 first mounting bracket and pivotable about an axis of rotation; and
4 a second mounting bracket, the barrel clip pivotally mounted to the second
5 mounting bracket and pivotable about the axis of rotation.

1 6. (Original) The gun rack of Claim 1 wherein the barrel support
2 assembly further comprises a resilient barrel clip for grasping placement about a
3 portion of a circumference of a gun barrel.

1 7. (Currently Amended) The gun rack of Claim 1 wherein the barrel
2 support assembly further comprises a second side stock support member connected
3 to and extending from the butt support member, the first side stock support member
4 opposing the second side stock support member, the ~~second~~ first side stock support
5 member including a substantially parallel orientation relative to the second side stock
6 support member.

1 8. (Original) The gun rack of Claim 7 further comprising:
2 the first side stock support member including a first aperture;
3 the second side stock support member including a second aperture; and
4 a lock securable through the first aperture, the second aperture and a trigger
5 guard of the firearm for securing the firearm to the stock support assembly.

1 9. (Original) The gun rack of Claim 7 further comprising:
2 the first side stock support member including a first oblong aperture;
3 the second side stock support member including a second oblong aperture;
4 and

5 a lock securable through the first oblong aperture, the second oblong aperture
6 and a trigger guard of the firearm for securing the firearm to the stock support
7 assembly.

1 10. (Original) The gun rack of Claim 7 further comprising:
2 the stock support assembly including a first mounting bracket, the stock
3 support member pivotally mounted to the first mounting bracket and pivotable about
4 an axis of rotation; and
5 the barrel support assembly including a second mounting bracket, the barrel
6 clip pivotally mounted to the second mounting bracket and pivotable about the axis
7 of rotation.

1 11. (Original) A gun rack for holding a firearm including a stock and a
2 barrel, the stock including a butt portion, the gun rack comprising:
3 a stock support assembly including a butt support member, the stock support
4 assembly including at least one side stock support member connected to and
5 extending from the butt support member, the butt portion of the firearm positionable
6 in and supportable by the butt support member;
7 a barrel support assembly including a barrel clip for placement about an outer
8 perimeter of a barrel of the firearm;
9 a first mounting bracket, the stock support member pivotally mounted to the
10 first mounting bracket and pivotable about an axis of rotation; and
11 a second mounting bracket, the barrel clip pivotally mounted to the second
12 mounting bracket and pivotable about the axis of rotation.

1 12. (Original) The gun rack of Claim 11 wherein the side stock support
2 member further comprises an aperture located near a distal end of the side stock
3 support member, a lock securable through the aperture and a trigger guard of the
4 firearm for securing the firearm to the stock support assembly.

1 13. (Original) The gun rack of Claim 11 wherein the side stock support
2 member further comprises an oblong aperture located near a distal end of the side
3 stock support member, a lock securable through the aperture and a trigger guard of
4 the firearm for securing the firearm to the stock support assembly.

1 14. (Original) The gun rack of Claim 11 wherein the barrel support
2 assembly further comprises a resilient barrel clip for placement about a portion of a
3 circumference of a gun barrel.

1 15. (Currently Amended) The gun rack of Claim 11 wherein the barrel
2 support assembly further comprises a second side stock support member connected
3 to and extending from the butt support member, the first side stock support member
4 opposing the second side stock support member, the ~~second~~ first side stock support
5 member including a substantially parallel orientation relative to the second side stock
6 support member.

1 16. (Original) The gun rack of Claim 15 further comprising:
2 the first side stock support member including a first aperture;
3 the second side stock support member including a second aperture; and
4 a lock securable through the first aperture, the second aperture and a trigger
5 guard of the firearm for securing the firearm to the stock support assembly.

1 17. (Original) The gun rack of Claim 15 further comprising:
2 the first side stock support member including a first oblong aperture;
3 the second side stock support member including a second oblong aperture;
4 and

5 a lock securable through the first oblong aperture, the second oblong aperture
6 and a trigger guard of the firearm for securing the firearm to the stock support
7 assembly.

1 18. (Original) The gun rack of Claim 15 further comprising:
2 the stock support assembly including a first mounting bracket, the stock
3 support member pivotally mounted to the first mounting bracket and pivotable about
4 an axis of rotation; and
5 the barrel support assembly including a second mounting bracket, the barrel
6 clip pivotally mounted to the second mounting bracket and pivotable about the axis
7 of rotation.

1 19. (Currently Amended) A gun rack for supporting a firearm
2 including a trigger guard and locking the firearm to the gun rack with a lock, the gun
3 rack comprising:
4 a stock support assembly including a butt support member, the stock support
5 assembly including at least one side stock support member connected to and
6 extending from the butt support member, the butt portion of the firearm positionable
7 in and supportable by the butt support member, the at least one side stock support
8 member including a first aperture adapted to receive the lock through the aperture
9 and the trigger guard of the firearm for securing the firearm to the stock support
10 assembly;

11 a barrel support assembly including a resilient barrel clip for grasping
12 placement about an outer perimeter of a firearm gun barrel;

13 a first mounting bracket, the stock support member pivotally mounted to the
14 first mounting bracket and pivotable about an axis of rotation; and

15 a second mounting bracket, the barrel clip pivotally mounted to the second
16 mounting bracket and pivotable about the axis of rotation.

1 20. (Currently Amended) The gun rack of Claim 19 further
2 comprising:
3 ~~the first side stock support member including a first aperture;~~
4 ~~the~~ a second side stock support member connected to and extending from
5 the butt support member, the second side stock support member including a second
6 aperture adapted to receive the lock through the aperture; and
7 a lock securable through the first aperture, the second aperture and a trigger
8 guard of the firearm for securing the firearm to the stock support assembly.